

Ruby - Bug #13159

[DOC] Revise documentation for OpenStruct

01/25/2017 09:03 PM - stomar (Marcus Stollsteimer)

Status:	Closed	
Priority:	Normal	
Assignee:		
Target version:		
ruby -v:	ruby 2.4.0p0 (2016-12-24 revision 57164) [i686-linux]	Backport: 2.2: DONE, 2.3: DONE, 2.4: DONE
Description * update paragraph on implementation: <code>define_singleton_method</code> is used, not <code>define_method</code> * add call-seq with return values for <code>each_pair</code> * adopt description of <code>dig</code> from Array and Hash * fix description of the hash method * <code>:nodoc:</code> <code>initialize_copy</code>, <code>respond_to_missing?</code> * other small improvements, e.g. use the term <code>'attribute'</code> in the docs (instead of <code>'member'</code>), which is clearer for users of the class * improve code examples: e.g. use more consistent style (always use double quotes, drop <code>'p'</code> and <code>'puts'</code>, ...), update inspect output, use example data that is not prone to change (like population) * add more code examples * fix some small errors and grammar		

Associated revisions

Revision 44fbaaae46c32452beb5778b9f6020cd11fd68f6 - 03/11/2017 09:32 PM - stomar (Marcus Stollsteimer)

lib/ostruct.rb: [DOC] revise docs for OpenStruct

- update paragraph on implementation: `define_singleton_method` is used, not `define_method`
- add call-seq with return values for `each_pair`
- adopt description of `dig` from Array and Hash
- fix description of the hash method
- `:nodoc:` `initialize_copy`, `respond_to_missing?`
- other small improvements, e.g. use the term `'attribute'` in the docs (instead of `'member'`), which is clearer for users of the class
- improve code examples: e.g. use more consistent style (always use double quotes, drop `p` and `puts`, ...), update inspect output, use example data that is not prone to change (like population)
- add more code examples
- fix some small errors and grammar

[ruby-core:79265] [Bug #13159]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@57887 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 44fbaaae - 03/11/2017 09:32 PM - stomar (Marcus Stollsteimer)

lib/ostruct.rb: [DOC] revise docs for OpenStruct

- update paragraph on implementation: `define_singleton_method` is used, not `define_method`
- add call-seq with return values for `each_pair`
- adopt description of `dig` from Array and Hash
- fix description of the hash method
- `:nodoc:` `initialize_copy`, `respond_to_missing?`
- other small improvements, e.g. use the term `'attribute'` in the docs (instead of `'member'`), which is clearer for users of the class
- improve code examples: e.g. use more consistent style (always use double quotes, drop `p` and `puts`, ...), update inspect output, use example data that is not prone to change (like population)
- add more code examples
- fix some small errors and grammar

[ruby-core:79265] [Bug #13159]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@57887 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision d823f587d19092699cf83e32760c7cc57a4c1b1c - 03/25/2017 06:35 PM - U.Nakamura

merge revision(s) 57887: [Backport #13159]

lib/ostruct.rb: [DOC] revise docs for OpenStruct

- * update paragraph on implementation:
define_singleton_method is used, not define_method
- * add call-seq with return values for each_pair
- * adopt description of dig from Array and Hash
- * fix description of the hash method
- * :nodoc: initialize_copy, respond_to_missing?
- * other small improvements, e.g. use the term 'attribute' in the docs
(instead of 'member'), which is clearer for users of the class
- * improve code examples: e.g. use more consistent style (always use
double quotes, drop 'p' and 'puts', ...), update inspect output,
use example data that is not prone to change (like population)
- * add more code examples
- * fix some small errors and grammar

[ruby-core:79265] [Bug #13159]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_2@58124 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision d823f587 - 03/25/2017 06:35 PM - U.Nakamura

merge revision(s) 57887: [Backport #13159]

lib/ostruct.rb: [DOC] revise docs for OpenStruct

- * update paragraph on implementation:
define_singleton_method is used, not define_method
- * add call-seq with return values for each_pair
- * adopt description of dig from Array and Hash
- * fix description of the hash method
- * :nodoc: initialize_copy, respond_to_missing?
- * other small improvements, e.g. use the term 'attribute' in the docs
(instead of 'member'), which is clearer for users of the class
- * improve code examples: e.g. use more consistent style (always use
double quotes, drop 'p' and 'puts', ...), update inspect output,
use example data that is not prone to change (like population)
- * add more code examples
- * fix some small errors and grammar

[ruby-core:79265] [Bug #13159]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_2@58124 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 82f0265c90bcc6320c7b1739a3f741ba26c121b4 - 12/20/2017 02:56 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 57887: [Backport #13159]

lib/ostruct.rb: [DOC] revise docs for OpenStruct

- * update paragraph on implementation:
define_singleton_method is used, not define_method
- * add call-seq with return values for each_pair
- * adopt description of dig from Array and Hash
- * fix description of the hash method
- * :nodoc: initialize_copy, respond_to_missing?
- * other small improvements, e.g. use the term 'attribute' in the docs
(instead of 'member'), which is clearer for users of the class
- * improve code examples: e.g. use more consistent style (always use
double quotes, drop 'p' and 'puts', ...), update inspect output,
use example data that is not prone to change (like population)
- * add more code examples
- * fix some small errors and grammar

[ruby-core:79265] [Bug #13159]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_4@61364 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 82f0265c - 12/20/2017 02:56 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 57887: [Backport #13159]

```
lib/ostruct.rb: [DOC] revise docs for OpenStruct
```

```
* update paragraph on implementation:
  define_singleton_method is used, not define_method
* add call-seq with return values for each_pair
* adopt description of dig from Array and Hash
* fix description of the hash method
* :nodoc: initialize_copy, respond_to_missing?
* other small improvements, e.g. use the term `attribute' in the docs
  (instead of `member'), which is clearer for users of the class
* improve code examples: e.g. use more consistent style (always use
  double quotes, drop `p' and `puts', ...), update inspect output,
  use example data that is not prone to change (like population)
* add more code examples
* fix some small errors and grammar
```

```
[ruby-core:79265] [Bug #13159]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_4@61364 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 59475e580546a204b30d8f92528213fb8732a8d6 - 01/31/2018 11:05 AM - U.Nakamura

merge revision(s) 57887: [Backport #13159]

```
lib/ostruct.rb: [DOC] revise docs for OpenStruct
```

```
* update paragraph on implementation:
  define_singleton_method is used, not define_method
* add call-seq with return values for each_pair
* adopt description of dig from Array and Hash
* fix description of the hash method
* :nodoc: initialize_copy, respond_to_missing?
* other small improvements, e.g. use the term `attribute' in the docs
  (instead of `member'), which is clearer for users of the class
* improve code examples: e.g. use more consistent style (always use
  double quotes, drop `p' and `puts', ...), update inspect output,
  use example data that is not prone to change (like population)
* add more code examples
* fix some small errors and grammar
```

```
[ruby-core:79265] [Bug #13159]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_3@62127 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 59475e58 - 01/31/2018 11:05 AM - U.Nakamura

merge revision(s) 57887: [Backport #13159]

```
lib/ostruct.rb: [DOC] revise docs for OpenStruct
```

```
* update paragraph on implementation:
  define_singleton_method is used, not define_method
* add call-seq with return values for each_pair
* adopt description of dig from Array and Hash
* fix description of the hash method
* :nodoc: initialize_copy, respond_to_missing?
* other small improvements, e.g. use the term `attribute' in the docs
  (instead of `member'), which is clearer for users of the class
* improve code examples: e.g. use more consistent style (always use
  double quotes, drop `p' and `puts', ...), update inspect output,
  use example data that is not prone to change (like population)
* add more code examples
* fix some small errors and grammar
```

```
[ruby-core:79265] [Bug #13159]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_3@62127 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 02/03/2017 09:00 PM - stomar (Marcus Stollsteimer)

- File deleted (doc_ostruct.patch)

#2 - 02/03/2017 09:03 PM - stomar (Marcus Stollsteimer)

- File `doc_ostruct.patch` added

Patch updated to reflect r57515 (return value of `each_pair`).

#3 - 03/11/2017 09:32 PM - stomar (Marcus Stollsteimer)

- Status changed from Open to Closed

Applied in changeset r57887.

lib/ostruct.rb: [DOC] revise docs for OpenStruct

- update paragraph on implementation:
 - define_singleton_method is used, not define_method
- add call-seq with return values for each_pair
- adopt description of dig from Array and Hash
- fix description of the hash method
- :nodoc: initialize_copy, respond_to_missing?
- other small improvements, e.g. use the term attribute' in the docs (instead of member'), which is clearer for users of the class
- improve code examples: e.g. use more consistent style (always use double quotes, drop p' and puts', ...), update inspect output, use example data that is not prone to change (like population)
- add more code examples
- fix some small errors and grammar

[\[ruby-core:79265\]](#) [\[Bug #13159\]](#)

#4 - 03/23/2017 03:17 AM - usa (Usaku NAKAMURA)

- Backport changed from 2.2: UNKNOWN, 2.3: UNKNOWN, 2.4: UNKNOWN to 2.2: REQUIRED, 2.3: REQUIRED, 2.4: REQUIRED

#5 - 03/25/2017 06:35 PM - usa (Usaku NAKAMURA)

- Backport changed from 2.2: REQUIRED, 2.3: REQUIRED, 2.4: REQUIRED to 2.2: DONE, 2.3: REQUIRED, 2.4: REQUIRED

ruby_2_2 r58124 merged revision(s) 57887.

#6 - 12/20/2017 02:56 PM - nagachika (Tomoyuki Chikanaga)

- Backport changed from 2.2: DONE, 2.3: REQUIRED, 2.4: REQUIRED to 2.2: DONE, 2.3: REQUIRED, 2.4: DONE

ruby_2_4 r61364 merged revision(s) 57887.

#7 - 01/31/2018 11:05 AM - usa (Usaku NAKAMURA)

- Backport changed from 2.2: DONE, 2.3: REQUIRED, 2.4: DONE to 2.2: DONE, 2.3: DONE, 2.4: DONE

ruby_2_3 r62127 merged revision(s) 57887.

Files

doc_ostruct.patch	10.1 KB	02/03/2017	stomar (Marcus Stollsteimer)
-------------------	---------	------------	------------------------------